


Product datasheet

Specifications



MODULAR FRONT PLATE W300 4M

03214

Discontinued on: 15 Jun 2023

Price: 453.53 ZAR

Discontinued

Main

Range	Prisma
Range Of Product	Prisma G Prisma P
Product Or Component Type	Front plate
Accessory / Separate Part Category	Installation accessory
Range Compatibility	Prisma Prisma G duct Prisma Prisma P cubicle
Type Of Front Plate	Modular Cut-out
Installed Device	Acti 9: fixed modular device Multi9: fixed modular device ComPact: fixed INS100 - control: direct front rotary handle - vertical installation ComPact: fixed INS125 - control: direct front rotary handle - vertical installation ComPact: fixed INS160 - control: direct front rotary handle - vertical installation ComPact: fixed INS40 - control: direct front rotary handle - vertical installation ComPact: fixed INS63 - control: direct front rotary handle - vertical installation Acti 9: fixed C120 without earth leakage protection - control: toggle Acti 9: fixed iC120 without earth leakage protection - control: toggle Multi9: fixed NG125 without earth leakage protection - control: toggle Multi9: fixed NG125 NA - control: toggle ComPact: fixed NG160 without earth leakage protection - control: toggle ComPact: fixed NG160 NA without earth leakage protection - control: toggle Acti 9: fixed C120 with earth leakage protection - control: toggle Acti 9: fixed iC120 with earth leakage protection - control: toggle Multi9: fixed NG125 with earth leakage protection - control: toggle ComPact: fixed NSA125...160 - control: toggle ComPact: fixed NSXm without earth leakage protection - control: toggle - vertical installation ComPact: fixed NSXm with earth leakage protection - control: toggle - vertical installation

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Poles Description	1 x 3P: modular rail support: INS100 vertical installation 1 x 4P: modular rail support: INS100 vertical installation 1 x 3P: modular rail support: INS125 vertical installation 1 x 4P: modular rail support: INS125 vertical installation 1 x 3P: modular rail support: INS160 vertical installation 1 x 4P: modular rail support: INS160 vertical installation 1 x 3P: modular rail support: INS40 vertical installation 1 x 4P: modular rail support: INS40 vertical installation 1 x 3P: modular rail support: INS63 vertical installation 1 x 4P: modular rail support: INS63 vertical installation 1 x 3P: modular rail support: C120 1 x 4P: modular rail support: C120 1 x 3P: modular rail support: iC120 1 x 4P: modular rail support: iC120 1 x 3P: modular rail support: NG125 1 x 4P: modular rail support: NG125 1 x 3P: modular rail support: NG125 NA 1 x 4P: modular rail support: NG125 NA 1 x 3P: modular rail support: NG160 1 x 4P: modular rail support: NG160 1 x 3P: modular rail support: NG160 NA 1 x 4P: modular rail support: NG160 NA 1 x 3P: modular rail support: NSA125...160 1 x 4P: modular rail support: NSA125...160 1 x 3P or 4P: modular rail support: NSXm vertical installation
Operating Position	Vertical

Complementary

Enclosure/Cubicle Description	Floor-standing duct - width 300 mm Wall-mounted duct - width 300 mm Cubicle duct - width 400 mm depth 400 mm
Connection Position	Direct connection
9 Mm Pitches	20
Number Of 18 Mm Modules Per Row	10
Number Of Vertical Modules [50 Mm]	4
Standards	IEC 61439-2 IEC 61439-1
Product Certifications	ASEFA
Material	Steel
Surface Finish	Smooth Matt
Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9001)
Height	200 mm
Width	300 mm
Net Weight	0.4 kg
Quantity Per Set	Set of 1

300 mm Prisma G floor-standing duct ComPact INS40 fixed direct front rotary handle
vertical 3P 1 direct 4
300 mm Prisma G wall-mounted duct ComPact INS40 fixed direct front rotary handle
vertical 3P 1 direct 4
300 mm Prisma G floor-standing duct ComPact INS40 fixed direct front rotary handle
vertical 4P 1 direct 4
300 mm Prisma G wall-mounted duct ComPact INS40 fixed direct front rotary handle
vertical 4P 1 direct 4
400 mm 400 mm Prisma P cubicle ComPact INS40 fixed direct front rotary handle
vertical 3P 1 direct 4
400 mm 400 mm Prisma P cubicle ComPact INS40 fixed direct front rotary handle
vertical 4P 1 direct 4
300 mm Prisma G floor-standing duct ComPact INS63 fixed direct front rotary handle
vertical 3P 1 direct 4
300 mm Prisma G wall-mounted duct ComPact INS63 fixed direct front rotary handle
vertical 3P 1 direct 4
300 mm Prisma G floor-standing duct ComPact INS63 fixed direct front rotary handle
vertical 4P 1 direct 4
300 mm Prisma G wall-mounted duct ComPact INS63 fixed direct front rotary handle
vertical 4P 1 direct 4
400 mm 400 mm Prisma P cubicle ComPact INS63 fixed direct front rotary handle
vertical 3P 1 direct 4
400 mm 400 mm Prisma P cubicle ComPact INS63 fixed direct front rotary handle
vertical 4P 1 direct 4
300 mm Prisma G floor-standing duct Acti 9 modular device fixed 20 direct 4
300 mm Prisma G wall-mounted duct Acti 9 modular device fixed 20 direct 4
400 mm 400 mm Prisma P cubicle Acti 9 modular device fixed 20 direct 4
300 mm Prisma G floor-standing duct Multi9 modular device fixed 20 direct 4
300 mm Prisma G wall-mounted duct Multi9 modular device fixed 20 direct 4
400 mm 400 mm Prisma P cubicle Multi9 modular device fixed 20 direct 4
300 mm Prisma G floor-standing duct Multi9 NG125 without fixed toggle 3P 1 direct 4
300 mm Prisma G wall-mounted duct Multi9 NG125 without fixed toggle 3P 1 direct 4
300 mm Prisma G floor-standing duct Multi9 NG125 without fixed toggle 4P 1 direct 4
300 mm Prisma G wall-mounted duct Multi9 NG125 without fixed toggle 4P 1 direct 4
400 mm 400 mm Prisma P cubicle Multi9 NG125 without fixed toggle 3P 1 direct 5
400 mm 400 mm Prisma P cubicle Multi9 NG125 without fixed toggle 4P 1 direct 5
300 mm Prisma G floor-standing duct Multi9 NG125 NA fixed toggle 3P 1 direct 4
300 mm Prisma G wall-mounted duct Multi9 NG125 NA fixed toggle 3P 1 direct 4
300 mm Prisma G floor-standing duct Multi9 NG125 NA fixed toggle 4P 1 direct 4
300 mm Prisma G wall-mounted duct Multi9 NG125 NA fixed toggle 4P 1 direct 4
300 mm Prisma G floor-standing duct ComPact NG160 without fixed toggle 3P 1
direct 5
300 mm Prisma G wall-mounted duct ComPact NG160 without fixed toggle 3P 1
direct 5
300 mm Prisma G floor-standing duct ComPact NG160 without fixed toggle 4P 1
direct 5
300 mm Prisma G wall-mounted duct ComPact NG160 without fixed toggle 4P 1
direct 5
400 mm 400 mm Prisma P cubicle ComPact NG160 without fixed toggle 3P 1 direct
5
400 mm 400 mm Prisma P cubicle ComPact NG160 without fixed toggle 4P 1 direct
5
300 mm Prisma G floor-standing duct ComPact NG160 NA without fixed toggle 3P 1
direct 5
300 mm Prisma G wall-mounted duct ComPact NG160 NA without fixed toggle 3P 1
direct 5
300 mm Prisma G floor-standing duct ComPact NG160 NA without fixed toggle 4P 1
direct 5
300 mm Prisma G wall-mounted duct ComPact NG160 NA without fixed toggle 4P 1
direct 5
400 mm 400 mm Prisma P cubicle ComPact NG160 NA without fixed toggle 3P 1
direct 5
400 mm 400 mm Prisma P cubicle ComPact NG160 NA without fixed toggle 4P 1
direct 5
400 mm 400 mm Prisma P cubicle ComPact NSA125...160 fixed toggle 3P 1 direct 5
400 mm 400 mm Prisma P cubicle ComPact NSA125...160 fixed toggle 4P 1 direct 5
300 mm Prisma G floor-standing duct Acti 9 C120 with fixed toggle 3P 1 direct 4
300 mm Prisma G wall-mounted duct Acti 9 C120 with fixed toggle 3P 1 direct 4
300 mm Prisma G floor-standing duct Acti 9 C120 with fixed toggle 4P 1 direct 4
300 mm Prisma G wall-mounted duct Acti 9 C120 with fixed toggle 4P 1 direct 4
300 mm Prisma G floor-standing duct Acti 9 iC120 with fixed toggle 3P 1 direct 4
300 mm Prisma G wall-mounted duct Acti 9 iC120 with fixed toggle 3P 1 direct 4
300 mm Prisma G floor-standing duct Acti 9 iC120 with fixed toggle 4P 1 direct 4
300 mm Prisma G wall-mounted duct Acti 9 iC120 with fixed toggle 4P 1 direct 4
300 mm Prisma G floor-standing duct Multi9 NG125 with fixed toggle 3P 1 direct 4
300 mm Prisma G wall-mounted duct Multi9 NG125 with fixed toggle 3P 1 direct 4
300 mm Prisma G floor-standing duct Multi9 NG125 with fixed toggle 4P 1 direct 4
300 mm Prisma G wall-mounted duct Multi9 NG125 with fixed toggle 4P 1 direct 4
300 mm Prisma G floor-standing duct ComPact NSXm without fixed toggle vertical
3P or 4P 1 direct 7

300 mm Prisma G wall-mounted duct ComPact NSXm without fixed toggle vertical
3P or 4P 1 direct 7

300 mm Prisma G floor-standing duct ComPact NSXm without fixed toggle vertical
3P or 4P 1 connection block 7

300 mm Prisma G wall-mounted duct ComPact NSXm without fixed toggle vertical
3P or 4P 1 connection block 7

300 mm Prisma G floor-standing duct ComPact NSXm with fixed toggle vertical 3P or
4P 1 direct 7

300 mm Prisma G wall-mounted duct ComPact NSXm with fixed toggle vertical 3P or
4P 1 direct 7

300 mm Prisma G floor-standing duct ComPact NSXm with fixed toggle vertical 3P or
4P 1 connection block 7

300 mm Prisma G wall-mounted duct ComPact NSXm with fixed toggle vertical 3P or
4P 1 connection block 7

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.000 cm
Package 1 Width	21.000 cm
Package 1 Length	26.000 cm
Package 1 Weight	400.000 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	10
Package 2 Height	17.000 cm
Package 2 Width	23.000 cm
Package 2 Length	27.500 cm
Package 2 Weight	4.350 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	120
Package 3 Height	35.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	62.640 kg

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes
✓	Halogen Free Plastic Parts Product	

Certifications & Standards

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile