# **Product datasheet**





## FRONT PLATE INS-INV250 VERTICAL W300 9M

03251

! Discontinued on: 15 Jun 2023

Price: 757.07 ZAR (!) Discontinued

#### Main

Range	Prisma
Range Of Product	Prisma G
Product Or Component Type	Front plate
Accessory / Separate Part Category	Installation accessory
Range Compatibility	Prisma Prisma G duct
Type Of Front Plate	Cut-out
Installed Device	ComPact: fixed INV100 - control: direct front rotary handle - vertical installation ComPact: fixed INV160 - control: direct front rotary handle - vertical installation ComPact: fixed INV200 - control: direct front rotary handle - vertical installation ComPact: fixed INV250 - control: direct front rotary handle - vertical installation ComPact: fixed INS250 - control: direct front rotary handle - vertical installation
Poles Description	1 x 4P: mounting plate support: INV100 vertical installation 1 x 4P: mounting plate support: INV160 vertical installation 1 x 4P: mounting plate support: INV200 vertical installation 1 x 4P: mounting plate support: INV250 vertical installation 1 x 3P: mounting plate support: INS250 vertical installation 1 x 4P: mounting plate support: INS250 vertical installation 1 x 3P: mounting plate support: INV100 vertical installation 1 x 3P: mounting plate support: INV160 vertical installation 1 x 3P: mounting plate support: INV200 vertical installation 1 x 3P: mounting plate support: INV250 vertical installation 1 x 3P: mounting plate support: INV250 vertical installation
Operating Position	Vertical

### Complementary

Enclosure/Cubicle Description	Floor-standing duct - width 300 mm Wall-mounted duct - width 300 mm
Connection Position	Direct connection
Number Of Vertical Modules [50 Mm]	9
Standards	IEC 61439-2 IEC 61439-1
Product Certifications	ASEFA
Material	Steel
Surface Finish	Matt Smooth
Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9001)
Height	450 mm
Width	300 mm

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Net Weight	0.94 kg
Quantity Per Set	Set of 1
Functional Unit	300 mm Prisma G floor-standing duct ComPact INS250 fixed direct front rotary
	handle vertical 3P 1 direct with long terminal shield 9
	300 mm Prisma G wall-mounted duct ComPact INS250 fixed direct front rotary
	handle vertical 3P 1 direct with long terminal shield 9
	300 mm Prisma G floor-standing duct ComPact INS250 fixed direct front rotary
	handle vertical 4P 1 direct with long terminal shield 9
	300 mm Prisma G wall-mounted duct ComPact INS250 fixed direct front rotary
	handle vertical 4P 1 direct with long terminal shield 9
	300 mm Prisma G floor-standing duct ComPact INV100 fixed direct front rotary
	handle vertical 3P 1 direct with long terminal shield 9
	300 mm Prisma G wall-mounted duct ComPact INV100 fixed direct front rotary
	handle vertical 3P 1 direct with long terminal shield 9
	300 mm Prisma G floor-standing duct ComPact INV100 fixed direct front rotary
	handle vertical 4P 1 direct with long terminal shield 9
	300 mm Prisma G wall-mounted duct ComPact INV100 fixed direct front rotary
	handle vertical 4P 1 direct with long terminal shield 9
	300 mm Prisma G floor-standing duct ComPact INV160 fixed direct front rotary
	handle vertical 3P 1 direct with long terminal shield 9
	300 mm Prisma G wall-mounted duct ComPact INV160 fixed direct front rotary
	handle vertical 3P 1 direct with long terminal shield 9
	300 mm Prisma G floor-standing duct ComPact INV160 fixed direct front rotary
	handle vertical 4P 1 direct with long terminal shield 9
	300 mm Prisma G wall-mounted duct ComPact INV160 fixed direct front rotary
	handle vertical 4P 1 direct with long terminal shield 9
	300 mm Prisma G floor-standing duct ComPact INV200 fixed direct front rotary
	handle vertical 3P 1 direct with long terminal shield 9 300 mm Prisma G wall-mounted duct ComPact INV200 fixed direct front rotary
	handle vertical 3P 1 direct with long terminal shield 9
	300 mm Prisma G floor-standing duct ComPact INV200 fixed direct front rotary
	handle vertical 4P 1 direct with long terminal shield 9
	300 mm Prisma G wall-mounted duct ComPact INV200 fixed direct front rotary
	handle vertical 4P 1 direct with long terminal shield 9
	300 mm Prisma G floor-standing duct ComPact INV250 fixed direct front rotary
	handle vertical 3P 1 direct with long terminal shield 9
	300 mm Prisma G wall-mounted duct ComPact INV250 fixed direct front rotary
	handle vertical 3P 1 direct with long terminal shield 9
	300 mm Prisma G floor-standing duct ComPact INV250 fixed direct front rotary
	handle vertical 4P 1 direct with long terminal shield 9
	300 mm Prisma G wall-mounted duct ComPact INV250 fixed direct front rotary
	handle vertical 4P 1 direct with long terminal shield 9

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	26.000 cm
Package 1 Length	47.000 cm
Package 1 Weight	940.000 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	10
Package 2 Height	17.000 cm
Package 2 Width	27.000 cm
Package 2 Length	53.000 cm
Package 2 Weight	9.740 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	120
Package 3 Height	48.000 cm
Package 3 Width	80.000 cm

Package 3 Length	120.000 cm
Package 3 Weight	116.880 kg



**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance

<b>⊘</b>	Reach Free Of Svhc
<b>⊘</b>	Toxic Heavy Metal Free
<b>⊘</b>	Mercury Free
<b>⊘</b>	Rohs Exemption Information Yes
<b>Ø</b>	Halogen Free Plastic Parts Product

#### **Certifications & Standards**

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile